DATASHEET

MNDA Mouse Monoclonal Antibody(ARM668)

CAT. NO. ARM6959

KEY FEATURES

Target	MNDA	Clone ID	ARM668
Source / Host	Mouse	Reactivity	Human
Applications	IHC	Dilution	1:50-1:200
Clonality	Monoclonal	Storage	at-20°C

BACKGROUND

Myeloid cell nuclear differentiation antigen (MNDA) is a nuclear protein that may act as a transcriptional activator or repressor in the myeloid lineage. It contributes to granulocyte/monocyte cell-specific responses to interferon and stimulates DNA binding by the transcriptional repressor YY1.

APPLICATION

To ensure optimal assay performance, AREX recommends conducting reagent titration tailored to each testing system for optimal detection results.

Application	IHC
Dilution Ratio	1:50-1:200

*Results are sample-specific. Please refer to your local assay conditions and test parameters for reference.

PRODUCT OVERVIEW

Antibody Type	Primary antibodies
Positive Control	Tonsil
Localization	Nuclear
Form/Buffer	50% Glycerol/PBS with 1% BSA and 0.09% sodium azide
Alternative Names	PYHIN3, Myeloid Cell Nuclear Differentiation Antigen, Pyrin and HIN Domain Family Member 3
Gene Symbol	MNDA
Entrez Gene	4332
Uniprot	P41218

*AREX continuously optimizes our products. Webpage content may not reflect the latest updates. For inquiries, please contact info@arexbio.com or your local distributor.


*Clone Number, Reactivity, Source/Host and Clonality can be found in the product name and Key Features section above.

DATASHEET


MNDA Mouse Monoclonal Antibody(ARM668)

CAT. NO. ARM6959

DATA



Immunohistochemical staining of human tonsil tissue using MNDA Mouse Monoclonal Antibody (ARM668).



Immunohistochemical staining of human marginal zone B-cell lymphoma tissue using MNDA Mouse Monoclonal Antibody (ARM668).

STORAGE

Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.

NOTE

For Research Use Only. Not for diagnostic, therapeutics, prophylactic or in vivo use.

More information: www.arexbio.com